

TAN'COR

Specific tannin for use in aging red wines

CHARACTERISTICS

Tan'Cor is a blend of proanthocyanidic (grape) and ellagic (oak) tannins. It was specifically developed for use during tank and barrel aging for enhancing the structure of the wine and protection against oxidation. Use of Tan'Cor may also help reduce the need for fining at the end of maturation and can limit the appearance of reductive characteristics. Laboratory trials prior to use are recommended.

RECOMMENDED DOSAGE

<i>Prior to Barrel Aging Red Wine:</i>	100-300 ppm	10-30 g/hl	0.80 - 2.4 lb/1000gal
<i>Prior to Bottling (3-6 weeks):</i>	30-100 ppm	3-10 g/hL	0.24-0.83 lb/1000 gal

DIRECTIONS FOR USE

Gradually sprinkle Tan'Cor on the wine during a transfer or racking to obtain a good homogenization. Additions can be made during the first two or three rackings, followed by an organoleptic evaluation. Final additions should be made three to six weeks before bottling to allow complete polymerization and settling.

BENCH TRIAL PREPARATION

Prepare a 4.5% Tan'Cor solution by adding 4.5 grams of Tan'Cor to 80ml of deionized water in a 100ml volumetric flask. When dissolved, bring to volume of 100ml.

Bench Trial Recommendations (per 375 mL bottle):

<u>Target Addition</u>	<u>lb/1000 gallon</u>	<u>mls of Tan'Cor Lab Dilution</u>
10 g/hl	0.83	0.83
12 g/hl	1.00	1.00
14 g/hl	1.17	1.17
16 g/hl	1.34	1.34
18 g/hl	1.51	1.51
20 g/hl	1.66	1.66
30 g/hl	2.49	2.49

Allow wine samples to polymerize by waiting 12-24 hrs before tasting results.

PACKAGING and STORAGE

Tan'Cor is available in 1 kg and 5 kg bags. Unopened, it has a shelf-life of 4 years. Once opened, Tan'Cor should be tightly sealed and stored in a dry environment.

This information is herein true and accurate to the best of our knowledge; however, this data sheet is not to be considered as a guarantee expressed or implied, or as a condition of sale of this product.

Document Edited 5/27/09

